Office Action Summary

Application No. 09/448,940

Applicant(s)

Barnes et al.

Examiner

Anh Hong Do

Art Unit **2624**



	The MAILING DATE of	this communication appears	on the cover sh	eet with	the correspondence address			
	for Reply							
		PERIOD FOR REPLY IS SET	TTO EXPIRE	_3	_ MONTH(S) FROM			
	MAILING DATE OF THIS (sions of time may be available under the		n no event. however, r	oav a reply '	be timely filed after SIX (6) MONTHS from the			
mailing	date of this communication.							
- If NO p - Failure - Any re	period for reply is specified above, the to reply within the set or extended pe	eriod for reply will, by statute, cause t three months after the mailing date of	and will expire SIX (6) the application to becom	MONTHS forme ABANDO	from the mailing date of this communication. ONED (35 U.S.C. § 133).			
Status		1117						
1) 🗆					· · · · · · · · · · · · · · · · · · ·			
2a) 🗌	This action is FINAL.	This action is FINAL . 2b) 💢 This action is non-final.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11; 453 O.G. 213.							
	tion of Claims							
4) 💢	Claim(s) <u>1-27</u>				is/are pending in the application.			
4	la) Of the above, claim(s)				is/are withdrawn from consideration.			
5) 🗆	Claim(s)				is/are allowed.			
6) 💢	Claim(s) <u>1-27</u>				is/are rejected.			
7) 🗆	Claim(s)				is/are objected to.			
8) 🗆	Claims		are	subject	t to restriction and/or election requirement			
Applica	ition Papers							
9) 🗆	The specification is object	cted to by the Examiner.						
10)	_							
	Applicant may not reques	st that any objection to the	drawing(s) be he	ld in abe	eyance. See 37 CFR 1.85(a).			
11) 🗆	The proposed drawing co	orrection filed on	is:	. a)□ ε	approved b) \square disapproved by the Examiner.			
	If approved, corrected dra	awings are required in reply	to this Office ac	tion.				
12)	The oath or declaration i	s objected to by the Exam	niner.					
Priority	under 35 U.S.C. §§ 119							
13)	13) Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) 🗆	-							
	1. Certified copies of t	the priority documents hav	ve been receive	d.				
					plication No			
:	3. Copies of the certifi		documents have	been re	eceived in this National Stage			
*Sr		Office action for a list of th						
14)	Acknowledgement is ma	de of a claim for domestic	priority under '	35 U.S.	C. § 119(e).			
a) 🗆	The translation of the f	foreign language provisiona	al application ha	ıs been	received.			
15) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.								
Attachm								
-	tice of References Cited (PTO-892)				O-413) Paper No(s)			
	tice of Draftsperson's Patent Drawing	·	5) Notice of Info	mal Pateníعسد	nt Application (PTO-152)			
3) X Inf	ormation Disclosure Statement(s) (PT	O-1449) Paper No(s)2	6) Dother:					



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/448,940		11/24/1999	ROBERT D. BARNES	GEM:0071/15-	5631
	7.	590 07/31/2002	. \		
PATRICK S YODER FLETCHER YODER & VAN SOMEREN P O BOX 692289 HOUSTON, TX 772692289				EXAMINER	
			1	DO, ANH HONG	
	HOUSTON, 12	X //2092209		ART UNIT	PAPER NUMBER
			`	2624	12
				DATE MAILED: 07/31/2002	D
			\		

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 2624

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- 2. Claims 1-23 are rejected under 35 U.S.C. 102(a) as being anticipated by Puri (U.S. Patent No. 5,563,593).

Regarding claim 1, Puri discloses:

- (a) compiling a plurality of encoding/compressing tables for converting unencoded/uncompressed data representative of individual picture elements to encoded/compressed data (col. 6, lines 55-59: compiling a MPEG-1 variable word-length code table and a variable word-length table for intra DCT events, where DCT is representative of block of pixels as disclosed in col. 1, lines 13-16);
- (b) applying at least two compression tables from the plurality of compression tables to pixel blocks of uncompressed data stream to compress/encode the pixel blocks (Fig. 9: variable length encode table selected by selector 920 and variable length code tables for overhead 987 are applied to DCT events to compress/encode using encoder 915);

Application/Control Number: 09/448,940

Art Unit: 2624

- appending data for the compressed/encoded blocks to form a compressed/encoded data stream on bus 995 using bitstream formatter 990 (Fig. 9).

Page 3

Regarding claims 2-4, Puri teaches using compression/encoding tables to map a prediction error generated by subtractor 902 for each pixel on bus 903 to a compressed/encoded data code on bus 917 (Fig. 9).

Regarding claim 5, Puri teaches selecting the compression/encoding tables from the plurality of compression/encoding tables using selector 920 (Fig. 9).

Regarding claims 6 and 7, Puri teaches the compression/encoding table are selected based upon relative entropy levels of each pixel blocks (col. 7, lines 18-24).

Regarding claim 8, Puri teaches application of subtractor 902 to determine a difference between a predicted value of each pixel on bus 958 and the actual value of the respective pixel on bus 901 (Fig. 9).

Regarding claims 9 and 10, Puri teaches selecting the compression/encoding tables based upon which tables provide the shortest compressed/encoded data stream for each pixel block (col. 6, lines 13-17).

Regarding claim 11, Puri teaches encoding in the compressed image data stream identifier representative of the compression/encoding tables (Fig. 9: variable length encoder for overhead and bitstream formatter 990).

Regarding claim 12, Puri discloses:

Art Unit: 2624

(a) defining a family of compression code/encoding tables for converting uncompressed/unencoded image data into compressed/encoded data (col. 6, lines 55-59: defining a family of a MPEG-1 variable word-length code table and a variable word-length table for intra DCT events);

- (b) storing the compression/encoding tables in an image data compression/encoding station (Fig. 7: MPEG-1 VLC table for DCT events 710 and intra VLC table for DCT events 715 in image data encoding station) and in image data decompression/decoding station (Fig. 8: MPEG-1 VLC table for DCT events 810 and intra VLC table for DCT events 815 in image data decoding station);
- (c) selecting at least two of the compression code tables for compression/encoding of DCT (corresponding to pixel blocks or subregions) of an image data stream (Fig. 7: selector 700);
- (d) compressing/encoding the image data stream in accordance with the selected compression code tables at the compression/encoding station for decompression/decoding at the decompression/decoding station (Fig. 9: encoder 915 for encoding the image data stream in accordance with the compression/encoding tables selected by selector 920 for decoding it at the decoding station shown in Fig. 10).

Regarding claim 13, Puri teaches encoding in the compressed image data stream identifier representative of the compression/encoding tables (Fig. 9: variable length encoder for overhead and bitstream formatter 990).

Art Unit: 2624

Regarding claim 14, Puri teaches the compression/encoding tables are defined based upon analysis of typical images to be compressed/encoded at the compression/encoding station (Fig. 7: define VLC tables for DCT events based upon MPEG-1 and intra images).

Regarding claim 15, Puri teaches application of subtractor 902 to determine a difference between a predicted value of each pixel on bus 958 and the actual value of the respective pixel on bus 901, and wherein the compression/encoding tables are applied to encode the difference values (Fig. 9).

Regarding claims 16 and 17, Puri teaches selecting the compression/encoding tables based upon which tables provide the shortest compressed/encoded data stream for each pixel block (col. 6, lines 13-17).

Regarding claims 18 and 19, Puri discloses:

- a data compression/encoding station configured to store a plurality of compression code/encoding tables for conversion of image data to compressed/encoded image data (Fig. 7: MPEG-1 VLC table for DCT events 710 and intra VLC table for DCT events 715 in image data encoding station) and to execute a compression/encoding routine in which an image data stream is converted to a compressed/encoded file by dividing into subregions and each subregion compressing in accordance with a compression code/encoding table selected from the plurality of compression code/encoding tables (Fig. 9: encoder for DCT events 915 for conversion, where

Art Unit: 2624

col. 1, lines 13-16) based upon which compression code table provides optimal compression/encoding of the subregion (col. 6, lines 13-17);

- a data storage for receiving and storing the compressed/encoded file (col. 7, lines 32-35);
- an image decompression/decoding station configured to store a plurality of compression code/encoding tables (Fig. 8: MPEG-1 VLC table for DCT events 810 and intra VLC table for DCT events 815 in image data decoding station), to access the compressed/encoded file from the data storage and to execute a decompression/decoding routine in which the compression code/encoding tables applied to compress/encode the image data stream are applied to decompress/decode the compressed/encoded file to reconstruct the image data stream (Fig. 10: decoder 1040).

Regarding claims 20-22, Puri teaches analysis of the image data stream for data representative of an identification of an image encoded by the image data stream (col. 7, lines 24-51).

Regarding claim 23, Puri teaches encoding of identifiers of the selected compression code tables within the compressed/encoded file (Fig. 9: encoder 915), and the analysis of the identifiers for selection of the same compression code tables for decompression of the compressed/encoded file (col. 8, lines 22-26).

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 2624

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 24-27 are rejected under 35 U.S.C. 102(e) as being anticipated by Hirabayashi et al. (U.S. Patent No. 6,101,282).

Regarding claim 24, Hirabayashi discloses:

- a machine readable medium (Fig. 11: CPU1; and col. 9, lines 1-3);
- configuration code stored on the machine readable medium, the configuration code including an algorithm for analyzing an image data stream (Fig. 11: difference value generation circuits 102 and 103), for compressing/encoding subregions of the image data stream (Fig. 11: encoder 104) by application of a plurality of compression code tables (col. 9, lines 27-30), and for compiling the compressed/encoded subregions into a compressed/encoded data file (Fig. 11: encode generator 110).

Art Unit: 2624

Regarding claim 25, Hirabayashi teaches storing a family of candidate compression code tables on the machine readable medium (Fig. 11: RAM 3).

regarding claim 26, Hirabayashi teaches the algorithm including computation of the compressed/encoded data lengths provided by application of a plurality of candidate compression code tables for compression of each subregions (Fig. 11: difference value generation circuits 102 and 103, and encode generator 110), and selection of the compression code tables providing the shortest compressed data lengths for each subregion (Fig. 11: selector 108; and col. 9, lines 45-47).

Regarding claim 27, Hirabayashi teaches the code is installed on the machine readable medium via a configuration network link (col. 1, lines 6-15).

Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh Hong Do whose telephone number is (703) 308-6720.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-4700 or 4750. The fax phone number for this Group is (703) 872-9314.

July 28, 2002.

Mallel